La Sommelière Vour Wines Feel Good at Home

www.lasommeliere.com

Apogée.

Term of astronomy which indicates the point where a star is furthest from the Earth. It is often used to qualify the highest degree that one can achieve; "to be at the peak of one's art".

Apogée.

Age of fullness of a wine, this is the optimal period during which the wine will present itself best when it is tasted.

Apogée.

Wine cellars with a simple promise, technology at its peak to accompany your wines to theirs.







arrent

AGEING QUALITY

By reproducing the storage conditions of a natural wine cellar, it accompanies your wines to their peak.

Precise and constant temperature, controlled hygrometry, absence of vibrations, protection against light, filtration and aeration system are the combination that allows it to preserve and enhance your wines.



ROUNDED DESIGN

Modern and vintage at the same time, Apogee aging cabinets break the codes by concentrating the best characteristics of both trends.

Their rounded shape recalls the universe of vintage & retro, a real current trend, and combines perfectly with modern codes to perfect and distinguish your interior decoration.

Design and protective, their door equipped with a lock, whether glazed with anti-UV treatment or solid, protects your wines from UV to accompany them, in complete safety, until their peak date.






HIGHLIGHTING OF YOUR WINES

Protected and displayed in an premium showcase, your fine wines are elegantly highlighted thanks to a lighting system integrated under the shelves.

Entirely designed to enhance your wines without disturbing their ageing, this innovative system diffuses soft light throughout the wine cellar to create a real wine showcase.

LOW ENERGY CONSUMPTION

Apogee wine cabinets guarantee minimal energy consumption. Classified E (solid door cellars) and F (glass door cellars), Apogee cellars have been designed to limit their impact on the environment and your energy consumption.









la Sommelière

Prenez le contrôle de votre cave à vin		
Réglage température		°C 🗸
_	7 °	+
Réglage lumiè	ere	
-Ò- Porte	-À- Automatique	- È Permanent
Alarme sonor	e	
Mode silencieux		
Réglages		
Cave Marche / Arrêt		

T C T C M D ti

TAKE CONTROL OF YOUR WINE CELLAR

Temperature, lighting, alarms; adjust the parameters of your wine cellar remotely.

Compatible with the Vinotag ® wine cellar management application and equipped with a remote control function, control the parameters of your wine cellar, at any time, from your smartphone.





Function

Ageing wine cellar Dual zone 143 Bordeaux 75 cl bottles Up. zone. 66 / Low. Zone 77 bottles

Features

Lock

Energy class F class

AGEING DUAL ZONE WINE CELLAR WITH REMOTE CONTROL

APOGEE145DZ

White LED interior lighting integrated under the shelf + ceiling light Multi-format natural wood shelves: 2 shelves head-to-tail presentation 2 shelves horizontal presentation

Discreet integrated handle Active carbon filter (FCA09) Glass door with lock, 3 layers tempered glass, anti-UV treated

Temperature range

Digital control panel Temperature range 5°C to 20°C Winter function Temperature alarms

Remote control

Control from the Vinotag application of temperature, lighting and alarms

Noise level

38 dB

Application

Compatible with the Vinotag wine cellar management application

Dimensions

W 55,5 x D 58 x H 145 cm



AGEING WINE CELLAR WITH REMOTE CONTROL

Apogée.

Wine cellars with a simple promise, technology at its peak to accompany your wines to theirs.

Nouvelle cave à vin Apogée.

LA CONNECTIVITÉ AU SERVICE DU VIEILLISSEMENT



2 ZONES DE TEMPÉRATURE 2 TEMPERATURE ZONES

8

12°

V

4

o))) TEMPÉRATURE TEMPERATURE



o))) ÉCLAIRAGE

o))) REGISTRE DE VINS WINE REGISTER



LA CAVE À VIN IDÉALE POUR FAIRE VIEILLIR VOS PLUS BEAUX VINS

- Température idéale de conservation
- Hygrométrie contrôlée (50-80%)
- Système de renouvellement de l'air
- Système anti-vibrations
- Protection contre la lumière

CAVE À VIN CONNECTÉE AVEC L'APPLICATION VINOTAG



La Sommelière vos vins sont bien chez vous

www.lasommeliere.com